

SAFETY DATA SHEET

Pre-Soak Powder 10Kg

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

1.1 Product Name	Pre-Soak Powder 10Kg			
1.2 Other Names	4 in 1 Dishwasher Powder			
Product No	02965	Rev Date:	23 rd June 2022	Rev No: 6
1.3 Application	Catering cleaning	•		
1.4 Supplier	Trust Hygiene Services Ltd Principle House Leamore Lane Bloxwich Walsall WS2 7PS		ail: sales@trusthygiene.co.u ephone: 0370 3500 988 (09:	
1.5 Emergency Contact Number	(UK) 0370 3500 98	8 (09:00	ГО 17:00 MON-FF	RI) / NHS 999 / NHS 111

SECTION 2. HAZARD IDENTIFICATION

Classification (EC1	272/2008)		
2.1 Signal Word	Danger		
2.1 Classification	Physical: Met. Corr. 1 – H290 Health: Skin Corr. 1b – H314, Eye Dam. 1 – H318 Environmental Not classified		
Hazard Statements	H290 – May be corrosive to metals H214 – Causes severe skin burns and eye damage H318 – Causes serious eye damage		
Precautionary Statements	P234 – Keep only in original containers P260 – Do not breath dust P264 – Wash hands thoroughly after handling P280 – Wear protective gloves, protective clothing, eye protection, face protection. P310 – Immediately call a poison centre or doctor / physician P305+351+338 – If in eyes: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing		
2.2 Labelling	GHS05		
2.3 Other Hazards	EHU 031 – Contact with acids liberates toxic gas		

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixture			
Product	EC (EINECS No.	CAS-No.	%
Sodium Carbonate	207-838-8	497-19-8	>30
Classification (EC 1272/2008)			
Physical: Not Classified. Health: Eye Irrit 2 – H319. Environmental: Not Classified.			
Product	EC (EINECS No.	CAS-No.	%
Sodium Metasilicate Pentahydrate	229-912-9	10213-79-3	15-20
Classification (EC 1272/2008)			
Physical: Met. Corr. 1 H290. Health: Skin Corr. 1b – H314; Eye Dam. 1 – H318 Environmental: Not Classified.	3, STOT SE 3 – H335.		
Product	EC (EINECS No.	CAS-No.	%
Sodium Hydroxide	215-185-5	1310-73-2	<1
Classification (EC 1272/2008)			
Physical: Met Corr. 1 – H290 Health: Skin Corr. 1A – H314. Environmental: Not Classified.			
Product	EC (EINECS No.	CAS-No.	%
Sodium Dichloroisocyanurate dehydrate	220-767-7	51580-86-0	<5
Classification (EC 1272/2008)			
Physical: Not Classified. Health: EUH031, Acute Tox. 4 – H302, Eye Irrit. 2 Environmental: Aquatic Acute 1 – H400, Aquatic			
Product	EC (EINECS No.	CAS-No.	%
Sodium Dodecyl Benzene Sulphonate (80%)	246-680-4	25155-30-0	<1
Classification (EC 1272/2008)			
Physical: Not Classified. Health: Acute Tox. 4 – H302, Eye Dam. 1 – H318 Environmental: Not Classified.	, Skin Irrit. 2 – H315.		

For the full text of the H-statements mentioned in this section, see section 16.

SECTION 4. FIRST-AID MEASURES

4.1 Description of First	Aid Measures		
Inhalation	Move exposed person to fresh air. Get medical attention if discomfort persists		
Ingestion	Get medical advice immediately! Do Not Induce Vomiting! Immediately rinse mouth and drink plenty of water		
Skin Contact	Remove contaminated clothing immediately and wash with soap and water. Get medical attention if discomfort persists.		
Eye Contact	Immediately flush with plenty of water for up to 15 minutes. Remove contact lenses if safe and easy to do so, open eyes wide apart. Get medical attention immediately. Continue to rinse.		
4.2 Most Important Syr	mptoms and effects, both acute and delayed		
General Information	Symptoms described are dependent upon the concentration and exposure time		
Inhalation	Possible irritation of throat, nose & airway		
Ingestion	Irritation, possible burns to throat mouth and stomach		
Skin Contact	Irritation, possible chemical burns to skin		
Eye Contact	Possible serious eye damage		
4.3 Indication of immed	diate medical attention and special treatment needed if necessary		

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media Use:

The preparation is not readily flammable, use fire-extinguishing media suitable for surrounding materials

5.2 Specific Hazard arising from the chemical

When heated in the case of fire, harmful or toxic gases may be produced

5.3 Special protective actions for fire fighters

Self contained breathing apparatus and full protective clothing must be worn

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

- a. The wearing of suitable protective equipment (including personal protective equipment, see section 8 of this SDS) to prevent any contamination of skin, eyes and personal clothing.
- b. Provide sufficient ventilation.
- c. Follow precautions for safe handling described in section 7 of this SDS.

6.2 Environmental Precautions

Spillages of uncontrolled discharges into watercourses must be Immediately alerted to the Environmental Agency or other appropriate regulatory body, without endangering individuals every effort should be made to prevent entrance to drains.

6.3 Methods and material for containment and clean up

Drains should be Bunded or capped to prevent entrance or damage.

Ventilate well. Dilute with copious amounts of water. Collect with absorbent, non-combustible material into suitable containers. Flush area with plenty of water.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid Spilling, skin and eye contact. Keep away from heat, sparks and open flames. Eliminate all sources of ignition. Static electricity and formation of sparks must be prevented

Do Not Smoke In Work Area! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke.

7.2 Conditions for safe Storage, including incompatibilities

Corrosive storage; Keep containers tightly closed. Keep in original containers. Avoid extreme temperatures.

7.3 Specific end use(s)

The identified use for this product is detailed in section 1.2.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters						
Name	STD	Consumer	Consumer Industry			Notes
Sodium Metasilicate	DNEL	Long Term	1.55mg/m3	Long Term	6.22mg/m3	Inhalation
Pentahydrate		Long Term	0.74mg/kg/dav	Long Term	1.49mg/kg/dav	Dermal
*		Long Term	0.74mg/kg/dav			Oral
Sodium carbonate	DNEL			Long Term	10mg/m3	Inhalation
DNEL= Derived No Effect Leve						•
Name	STD	TWA – 8 Hrs		STEL – 15 Min		Notes
Sodium Hydroxide	WEL				2	
Sodium Dichloroisocyanurate Dihydrate	WEL			0,5ppm	1.5mg/m3	
WEL= Workplace Exposure Lin	nit					
8.2 Appropriate engineering c	ontrols					
Provide adequate ventilation						
8.3 Individual protection meas	sures, such a	as personal prote	ctive equipment (P	PE)		•
Respiratory Equipment	If ventilation is in sufficient, suitable respiratory protection must be provided.					
Hand Protection	Ware PVC or rubber gloves.					
Eye Protection	Ware approved safety goggles.					

Other Protection	Rubber apron & rubber footwear recommended.

Protective Equipment





SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

This Product is a	Mixture		
Appearance	Powder		
Colour	White with blue speck	kles	A.b.
Odour	Low		34
Solubility	Soluble in water		
pH value	10-11	Boiling Point (°C)	>100
Relative Density	1		
9.2 Other information		,	

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	
None known	
10.2 Chemical stability	
Stable under normal conditions and use.	
10.3 Possibility of hazardous reactions	
None known	
10.4 Conditions to avoid	
Avoid excessive heat for prolonged periods of time.	
10.5 Incompatible materials	
Strong acids, strong oxidising substances	
10.6 Hazardous decomposition products	
When heated, toxic and corrosive vapours / gasses may be fo	rmed.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological information

We have not carried out any animal testing; therefore we have no toxicological data specifically for this product. The toxicological data, where provided by the raw material manufacture, can be made available on request.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

We have not carried out any Aquatic testing; therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity data, where provided by the raw material manufacturer for the ingredients with aquatic toxicity can be provided on request

12.2 Persistence and degradability

Degradability: the surfactants used in this preparation are designed for disposal via normal foul water disposal methods

12.3 Bioaccumulative potential

This preparation does not contain any substance that is expected to be bioaccumlating

12.4 Mobility in soil

Soluble in water

12.5 Results of PBT and vPvB

This preparation does not contain and PBT or vPvB substances

12.6 Other adverse effects

Not Known

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

The preparation is designed for disposal via foul drain after use. Large volumes to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local waste disposal authority. Clean used container and recycle.

SECTION 14. TRANSPORT INFORMATION

ADR	IMDG			ICAO
14.1 UN Number				
1759	1759			1759
14.2 UN Proper shipping name				
Corrosive solid, N.O.S.	Corrosive solid	Corrosive solid, N.O.S.		Corrosive solid, N.O.S.
14.3 Transport hazard Class (es)				
Class 8	Class 8			Class 8
Label CORROSIVE 8				
III	l III			
14.5 Environmental hazards				
No	No			No
14.6 Special precautions for user (Tuni	nel Restriction) EAC, H	IN, EMS		
(E) 2X, 80, F-A S-B	-			
14.7 Transport in bulk according to An	nex II of MARPOL73/7	'8 and the IBC Code	<u>e</u>	
Not relevant for this product				

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific to the substance or mixture
Guidance notes: Workplace Exposure Limits EH40
EU Legislation: Safety Data sheets prepared in accordance with REACH Commission Regulation (EU) No 453/2010 Packaging & Labelling of dangerous preparations. Ingredients are listed with classification under GHS / CLP – Regulation (EC) No 1272/2008 classification, ADR 2017
15.2 Chemical Safety Assessment
Not applicable this product is a mixture

SECTION 16. OTHER INFORMATION

REV. No. REPL. SDS	6/5
Generated	23 rd June 2022Replaces V/5 17 th June 2021
SDS No.	0007
SDS Status	Ok
Approved	14 th April 2015
Notes	This information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
Hazard statements in full	H290 – May be corrosive to metals H302 – Harmful if swallowed H314 – Causes severe skin burns and eye damage H315 – Causes skin irritation H318 – Causes serious eye damage H319 – Causes serious eye irritation H335 – May cause respiratory irritation H400 – Very toxic to aquatic life H410 – Very toxic to aquatic life with long lasting effects

Supplementary	P301+330+331 – IF SWALLOWED: rinse mouth, Do Not induce vomiting		
P- Statements	P303+361+353 – IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower P304+340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for		
	breathing. P363 – Wash contaminated clothing before reuse		
	P390 – Absorb spillage to prevent material damage		
	P405 – Store locked up		
EUH Statements	EHU 031 – Contact with acids liberates toxic gas		
	END of SDS		