

Trust Hygiene Services Ltd Safety Data Sheet

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Dishwasher Salt Granular

Stock Code 03320

Chemical Name Sodium chloride; NaCl

CAS No. 7647-14-5 EC No. 231-598-3

REACH Registration No. Listed in REACH 1907/2006 Annexe V Section 7, exempted from registration.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Chemical manufacture and processing. Water treatment. Food and Feed industry.

Laboratory chemical. highways de-icing.

Uses Advised Against None.

1.3 Details of the supplier of the safety data sheet

Trust Hygiene Services Ltd Principle House Leamore Lane Bloxwich Walsall WS2 7PS

Email: sales@trusthygiene.co.uk

Telephone: 0370 3500 988 (09:00 to 17:00 Mon-Fri)

1.4 Emergency telephone number

(UK) NHS EMERGENCY 999 / NHS ADVICE 111

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Salt

Hazard Pictogram(s) None.

Signal Word(s) None.

Page: 1 - 10 Revision: UK1.0

07-2023

Hazard Statement(s) None.

Precautionary Statement(s) None.

Additional label requirements None.

2.3 Other hazards

None.

2.4 Additional Information

None.

3. SECTION 3: COMPOSITION/INFORMATION ON

3.1 Substances

HAZARDOUS	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
INGREDIENT(S)		REACH			Pictogram(s)
Sodium chloride	7647-14-5	231-598-3	≥99.9	Not classified	None.

3.2 Mixtures

Not applicable.

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

position comfortable for breathing.

Skin Contact Wash skin with soap and water.

Eye Contact Flush eyes with water for at least 15 minutes. If symptoms develop, obtain

medical attention.

Ingestion Wash out mouth with water. Do not induce vomiting. Obtain immediate

medical attention if ill effects occur.

4.2 Most important symptoms and effects, both acute and delayed

Large doses may result in irritation of the gastrointestinal tract leading to nausea, vomiting and diarrhoea. Dehydration and congestion may occur in internal organs. May cause physical abrasion in contact with skin and eyes. Dust may have irritant effect on eyes. High concentrations of dust may be irritant to the respiratory tract.

Repeated exposure by inhalation may produce adverse effects on the lungs.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically. Low acute toxicity under normal conditions of handling and use.

Page: 2 - 10 Revision: UK1.0

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

Low fire hazard.

5.3 Advice for firefighters

A self contained breathing apparatus and full protective clothing should be worn in fire conditions. Potential hazard from the combustion of packaging materials.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust generation. Avoid breathing dust.
Wear suitable gloves and eye/face protection.

6.2 Environmental precautions

Avoid release to the environment. Contain spillages. Transfer to a lidded container

for disposal or recovery.

6.3 Methods and material for containment and cleaning up

Sweep up solid substance. Transfer to a container for disposal or recovery. Wash

the spillage area with water.

6.4 Reference to other sections

See Also Section 8, 13,

6.5 Additional Information

Spillages or uncontrolled discharges into watercourses must be alerted to the

Environment Agency or other appropriate regulatory body.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid prolonged skin contact. Avoid dust generation. Avoid inhalation of high concentrations of dusts. Provide adequate ventilation where operational procedures demand it. Keep away from strong acids and common metals. Static electricity can be generated by pneumatic conveying, therefore pipes should be bonded and earthed, especially where a spark could prove hazardous.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry place. Keep only in the original container in a cool, well ventilated place

away from moisture.

Storage temperature Ambient.

Storage life Stable under normal conditions. See Section: 10.2

Incompatible materials strong acids See Section: 10.3

7.3 Specific end use(s)

Contact supplier for further information. See Also Section 1.2

Page: 3 - 10 Revision: UK1.0

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits Sodium chloride: No Occupational Exposure Limit assigned.

Occupational Exposure Limits						
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Notes
Inhalable Dust	Not applicable		10			
Respirable Dust	Not applicable		4			

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.1.2 PNECs and DNELs

Sodium chloride			
DNEL / DMEL	Oral	Inhalation	Dermal
Industry - Long Term - Local effects			
Industry - Long Term - Systemic effects		2069 mg/m³	296 mg/kg bw/day
Industry - Short term - Local effects			
Industry - Short term - Systemic effects		2069 mg/m³	296 mg/kg bw/day
Consumer - Long Term - Local effects			
Consumer - Long Term - Systemic effects	127 mg/kg bw/day	443 mg/m³	127 mg/kg bw/day
Consumer - Short term - Local effects			
Consumer - Short term - Systemic effects	127 mg/kg bw/day	443 mg/m³	127 mg/kg bw/day

Sodium chloride	
Environment	PNEC
Aquatic Compartment (including sediment)	Fresh water: 5 mg/l,
	Marine water: Not applicable.
	Intermittent releases: 19 mg/l,
	Sewage treatment plant: 500 mg/l
	Fresh water Sediment (Dry): Not applicable.
	Marine water Sediment (Dry): Not applicable.
Terrestrial Compartment	Soil (Dry) 4.86 mg/kg
Atmospheric Compartment	Not applicable.

Page: 4 - 10 Revision: UK1.0

8.2 Exposure controls

with the occupational exposure limit.

8.2.2. Personal protection equipment



Eye Protection Wear suitable eye/face protection. If dust is likely to be generated: Goggles giving

complete protection to eyes.



Skin protection Wear protective gloves.

The following materials are suitable for protective gloves (permeation time >= 8 hours): Nitrile rubber (0.35mm), PVC (0.5mm), Butyl rubber (0.5mm), Fluorocarbon

rubber (0.4 mm), Polychloroprene CR (0.5 mm), Natural rubber (0.5mm).

Check with protective equipment manufacturer's data.



Respiratory protection Normally no personal respiratory protection is necessary. An approved dust mask

should be worn if dust is generated during handling. A suitable dust mask or dust

respirator with filter type P (EN143 or EN405) may be appropriate.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Crystalline Solid

Colour : Colourless

Odour Odourless.
Odour threshold Not established.

pH Not applicable.

Melting point/freezing point 801 °C

Initial boiling point and boiling range

Flash Point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive

1461 °C

Not applicable.

Not applicable.

Non-flammable

Not applicable.

limits

Vapour pressure 1.33hPa @ 865 °C Vapour density No data available.

Density (g/ml) 2.16
Relative density 2.17

Page: 5 - 10 Revision: UK1.0

Solubility(ies) Solubility (Water): freely soluble 317 g/l @ 20 °C

Solubility (Other): Insoluble

Partition coefficient: n-octanol/water Not applicable.

Auto-ignition temperature Not applicable.

Decomposition Temperature (°C) No data available.

Viscosity Not applicable.

Explosive properties Not explosive

Oxidising properties Not oxidising.

9.2 Other information

Molecular weight 58.44

Bulk Density (g/ml) 1.2 to 1.5 approximately (except tablets)
Particle Size Granular Grade(s): 1 – 3 mm (typically)

Pure Dried Vacuum grade: free running cubic crystals mostly 0.2 - 0.6mm in size.

Tablets: 24x24x13 mm

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Reaction with concentrated acid will produce hydrogen chloride.

10.4 Conditions to avoid

Avoid dust generation. Avoid accumulation of dust.

Under wet conditions, will corrode many common metals, particularly iron,

aluminium and zinc.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

None.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Not classified.

LD50 (rat): 3550 mg/kg bw

May cause vomiting and diarrhoea. The swallowing of small amounts is unlikely to

cause any adverse effects.

Acute toxicity - Skin Contact Not classified.

LD50 (rabbit): >10,000 mg/kg bw

Acute toxicity - Inhalation Not classified.

LD50 (1 hour(s)) (rat): >42 mg/l

Page: 6 - 10 Revision: UK1.0

Skin corrosion/irritation Not classified.

May cause physical abrasion in contact with skin.

Repeated or prolonged contact may result in dryness leading to mild irritation.

Serious eye damage/irritation Not classified.

May cause physical abrasion in contact with eyes. Dust may cause irritation.

Skin sensitization data

Respiratory sensitization data

Not classified.

Rem cell mutagenicity

Not classified.

Carcinogenicity

Not classified.

Reproductive toxicity

Lactation

Not classified.

Not classified.

Not classified.

Not classified.

Not classified.

High concentrations of dust may be irritant to the respiratory tract.

STOT - repeated exposure Not classified.

Repeated exposure by inhalation may produce adverse effects on the lungs.

Repeated ingestion of excessive amounts may cause disturbance of body electrolyte

and fluid balance.

Aspiration hazard Not classified.

11.2 Other information

The product is biologically inert.

Large doses may result in irritation of the gastrointestinal tract leading to nausea, vomiting and diarrhoea. Dehydration and congestion may occur in internal organs.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Low toxicity to aquatic organisms. Not classified.

> LC50 (Daphnia magna) (48 hour): 874 mg/l NOEC (Daphnia magna) (7 day): 354 mg/l

Toxicity - Fish Low toxicity to fish. Not classified.

LC50 Bluegill Sunfish (L. macrochirus) (96 hour): 5840 mg/l

NOEC (33 days) (Fathead minnow (Pimephales promelas)): 252 mg/l $\,$

Toxicity - Algae Not classified

EC50 (Nitzschia linearis) (120 hour(s)): 2430 mg/l

EC10 (Microorganisms): 5000 mg/l

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

Soil micro-organisms

EC50 (Short term): 3296 mg/kg Soil (Dry) EC10 (Long Term): 3507 mg/kg Soil (Dry)

12.2 Persistence and Degradation

The product shows no evidence for biodegradability in water. The product shows no evidence for biodegradability in soil.

Page: 7 - 10 Revision: UK1.0

12.3 Bioaccumulative potential

The product has no potential for bioaccumulation.

12.4 Mobility in soil

The product is predicted to have high mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recover and reclaim or recycle, if practicable. Do not discharge into drains or the

environment, dispose to an authorised waste collection point.

13.2 Additional Information

No special precautions are required for this product.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very No

Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation

Page: 8 - 10 Revision: UK1.0

REACH: Annex XVII Restrictions on the Not listed

manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Community Rolling Action Plan (CoRAP) Not listed Regulation (EC) N° 850/2004 of the Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 2037/2000 on Not listed

substances that deplete the ozone layer

SEVESO SUBSTANCE No.

(Directive 2012/18/EU)

National regulations

Germany Wassergefährdungsklasse (WGK) Kenn-Numm : 270 WGK class 1 (official).

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

15.3 Inventory Status

Listed in: Australia (AlCS), Canada (DSL/NDSL), China (IECSC), European Union (EINECS/ELINCS), Japan (ENCS), New Zealand Inventory (NZIoC), Philippines (PICCS), South Korea (KECI), Switzerland, Taiwan (NECI), Thailand, Turkey,

United States (TSCA).

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16

LEGEND

Hazard Pictogram(s) None.

Precautionary Statement(s) None.

Acronyms CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL: Derived No Effect Level

EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

Page: 9 - 10 Revision: UK1.0

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Page: 10 - 10 Revision: UK1.0 07-2023