

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Page: 1/8

Compilation date: 15.06.2018

**Revision date:** 19.03.2020

Revision No: 3.11

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

03566 - Rational Detergent Tabs Active Green 150pcs

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaner for professional users

## 1.3. Details of the supplier of the safety data sheet

Trust Hygiene Services Principle House Leamore Lane Bloxwich Walsall WS2 7PS

Email: sales@trusthygiene.co.uk

Telephone: 0370 3500 988 (09:00 to 17:00 Mon-Fri)

# 1.4. Emergency telephone number

0370 3500 988 (09:00 to 17:00 Mon-Fri) / NHS 111

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; Met. Corr. 1: H290

Most important adverse effects: Causes severe skin burns and eye damage. May be corrosive to metals.

#### 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H290: May be corrosive to metals.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Hazard components for labelling: sodium hydroxide, disodium metasilicate

**Precautionary statements:** P101: If medical advice is needed, have product container or label at hand.

P280: Wear protective gloves/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Page: 2/8

Rinse skin with water [or shower].

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P501: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### \*3.2. Mixtures

#### **Hazardous ingredients:**

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27-0000

EINECS	CAS	SCL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	50-80%

#### SODIUM CARBONATE - REACH registered number(s): 01-2119485498-19-0000

				1	
207-838-8	497-19-8	-	Eye Irrit. 2: H319	5-10%	

#### DISODIUM METASILICATE - REACH registered number(s): 01-2119449811-37-0000

229-912-9	6834-92-0	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still on

skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Do

not induce vomiting. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Irritation or pain may occur at the site of contact.

Eye contact: Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

Inhalation: Not applicable.

**Delayed / immediate effects:** Immediate effects can be expected after long-term exposure.

Page: 3/8

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Show this safety data sheet to the doctor in attendance.

# Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water. Refer to section 13 of SDS for suitable

method of disposal.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

#### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Avoid contact with water or humidity. Storage class: 8B (Non-

combustible corrosive substances)

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): PC35: Washing and cleaning products (including solvent based products).

# Section 8: Exposure controls/personal protection

Page: 4/8

#### 8.1. Control parameters

# Hazardous ingredients:

#### **SODIUM HYDROXIDE**

# Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

## **DNEL/PNEC Values**

## \*Hazardous ingredients:

#### **SODIUM HYDROXIDE**

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	1,0 mg/m <sup>3</sup>	Workers	Local
DNEL	Dermal	2%	Workers	Local

#### **SODIUM CARBONATE**

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	10 mg/m <sup>3</sup>	Workers	-

#### **DISODIUM METASILICATE**

Type	Exposure	Value	Population	Effect
DNEL	Dermal	1,49 mg/kg	Workers	Systemic
DNEL	Inhalation	6,22 mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	0,74 mg/kg	Population	Systemic
DNEL	Inhalation	1,55 mg/m <sup>3</sup>	Population	Systemic
DNEL	Oral	0,74 mg/kg	Population	Systemic
PNEC	Fresh water	7,5 mg/l	-	-

# 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

Hand protection: Gloves (alkali-resistant). Breakthrough time of the glove material < 1 hour. Wear chemical-

resistant disposable protective gloves according to EN 374.

**Eye protection:** Tightly fitting safety goggles. according to EN 166:2001.

Skin protection: Not applicable.

**Environmental:** No special requirement.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Solid

Page: 5/8

Colour: White

Odourless

Evaporation rate: Not applicable.

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Not applicable.

Boiling point/range°C: Not applicable. Melting point/range°C: No data available.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable. Vapour pressure: Not applicable.

**Relative density:** No data available. **pH:** 12.5 (1%)

**VOC g/l:** <3%

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

# 10.4. Conditions to avoid

Conditions to avoid: Humidity.

# 10.5. Incompatible materials

Materials to avoid: Acids. Metals.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: No data available.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

\*Hazardous ingredients:

Page: 6/8

#### **SODIUM HYDROXIDE**

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

#### **SODIUM CARBONATE**

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

#### **DISODIUM METASILICATE**

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** Irritation or pain may occur at the site of contact.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

Inhalation: Not applicable.

**Delayed / immediate effects:** Immediate effects can be expected after long-term exposure.

Other information: Not applicable.

## **Section 12: Ecological information**

#### 12.1. Toxicity

# \*Hazardous ingredients:

# **SODIUM HYDROXIDE**

Daphnia magna	24H EC50	76	mg/l
Gambusia affinis	96H LC50	125	mg/l

# **SODIUM CARBONATE**

Freshwater Invertebrates	48H EC50	200-227	mg/l
Lepomis macrochirus	96H LC50	300	mg/l

# 12.2. Persistence and degradability

Persistence and degradability: Biodegradable. according to OECD 301 B.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

Page: 7/8

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

# **Section 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Not applicable.

Waste code number: 20 01 29

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

## **Section 14: Transport information**

# 14.1. UN number

UN number: UN1823

# 14.2. UN proper shipping name

Shipping name: SODIUM HYDROXIDE, SOLID

Limited Quantity (LQ): 1kg

# 14.3. Transport hazard class(es)

Transport class: 8

# 14.4. Packing group

Packing group: ||

## 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

#### 14.6. Special precautions for user

**Special precautions:** No special precautions.

Tunnel code: E

Transport category: 2

# **Section 15: Regulatory information**

Page: 8/8

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Ingredients according to Regulation (EC) No 648/2004: <5% polycarboxylates, non-ionic

surfactants.

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the

supplier.

#### **Section 16: Other information**

#### Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)

2015/830

\* indicates text in the SDS which has changed since the last revision.

Data references: Safety data sheets from our raw material suppliers

Department issuing MSDS: Product Development Department

Classification for mixtures and used evaluation method according to Article 9 of

regulation (EC) 1272/2008 [CLP]:

Calculation method

Phrases used in s.2 and s.3: H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.