

SAFETY DATA SHEET CONTRACT CARPET EXTRACTION CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Prochem Contract Carpet Extraction Cleaner 5L

Product Code: 71448

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Contract Carpet Extraction Cleaner is a powerful and safe low foam detergent concentrate for

use in carpet soil extraction machines. Contract Carpet Extraction Cleaner is suitable for use

on most carpets, subject to pretesting as directed.

1.3. Details of the supplier of the safety data sheet

Trust Hygiene Services Ltd Principle House Leamore Lane Bloxwich Walsall WS2 7PS

Email: sales@trusthygiene.co.uk

Telephone: 0370 3500 988 (09:00 to 17:00 Mon-Fri)

1.4. Emergency telephone number

0370 3500 988 (09:00 to 17:00 Mon-Fri) / NHS 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Human health Contact with concentrate may cause moderate eye irritation. Prolonged or repeated exposure

may cause the following adverse effects: skin irritation and dermatitis. Considered to be a low inhalation hazard at normal workplace temperatures. Product is alkaline and may be mildly

corrosive to mucous membranes. Ingestion may cause: nausea irritation

Environmental The product is expected to be biodegradable.

2.2. Label elements

Hazard statements NC Not Classified

CONTRACT CARPET EXTRACTION CLEANER

Precautionary statements P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Detergent labelling < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, < 5% phosphates,

Contains Linalool, DMDM Hydantoin, Iodopropynyl butylcarbamate

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sodium carbonate 1-3%

CAS number: 497-19-8 EC number: 207-838-8 REACH registration number: 01-

2119485498-19-XXXX

Classification

Eye Irrit. 2 - H319

Tetrapotassium pyrophosphate 1-3%

CAS number: 7320-34-5 EC number: 230-785-7 REACH registration number: 01-

2119489369-18-XXXX

Classification

Eye Irrit. 2 - H319

Sodium xylenesulphonate 1-3%

CAS number: 1300-72-7 EC number: 215-090-9 REACH registration number: 01-

2119513350-56-XXXX

Classification

Eye Irrit. 2 - H319

(2-Methoxymethylethoxy)propanol 1-5%

CAS number: 34590-94-8 EC number: 252-104-2 REACH registration number: 01-

2119450011-60-XXXX

Substance with a Community workplace exposure limit.

Classification

Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

CONTRACT CARPET EXTRACTION CLEANER

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink.

Never give anything by mouth to an unconscious person. Get medical attention.

Skin contact Rinse immediately with plenty of water. Get medical attention if irritation persists after

washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact Prolonged or repeated exposure may cause the following adverse effects: skin irritation and

dermatitis.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion

of carbon.

products

5.3. Advice for firefighters

Special protective equipment

No specific recommendations.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Dispose of waste to licensed waste disposal site in

Thermal decomposition or combustion products may include the following substances: Oxides

accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautionsWear protective clothing as described in Section 8 of this safety data sheet. Wash hands

thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or

smoke when using this product.

CONTRACT CARPET EXTRACTION CLEANER

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep out of the reach of children. Store in closed original container at temperatures between

5°C and 30°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

(2-Methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³

Sk

Diethyl phthalate

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ Short-term exposure limit (15-minute): WEL 10 mg/m³

WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Side shield safety glasses are recommended when handling this product.

Hand protection Wear protective gloves. It is recommended that gloves are made of the following material:

Nitrile rubber. Protective gloves should be inspected for wear before use and replaced

regularly in accordance with the manufacturers specifications.

Hygiene measures Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat,

drink or smoke when using this product.

Respiratory protection Not required in normal use.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Turquoise Green.

Odour Lavender

pH (concentrated solution): 11.3 pH (diluted solution): 9.5

Initial boiling point and range 100°C

Flash point Not applicable.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

CONTRACT CARPET EXTRACTION CLEANER

Vapour pressure Not determined.

Not determined. Vapour density

Relative density 1.05

Solubility(ies) Soluble in water. Partition coefficient Not determined.

Viscosity Not applicable.

Oxidising properties Not applicable.

9.2. Other information

Explosive properties

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

Not determined.

Not determined.

10.4. Conditions to avoid

Conditions to avoid Store in closed original container at temperatures between 5°C and 30°C. Protect from

freezing and direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Considered to be a low inhalation hazard at normal workplace temperatures. Product is

alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: nausea

irritation

Skin corrosion/irritation

Skin corrosion/irritation Prolonged or repeated exposure may cause the following adverse effects:, skin irritation and

dermatitis.

Serious eye damage/irritation

Serious eye damage/irritation May cause temporary eye irritation.

Skin sensitisation

Skin sensitisation Contains Linalool

CONTRACT CARPET EXTRACTION CLEANER

Germ cell mutagenicity

Genotoxicity - in vivoNo effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

Toxicological information on ingredients.

Sodium carbonate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,800.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rabbit

Tetrapotassium pyrophosphate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,000.0

mg/kg)

Species Mouse

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 4,000.0

mg/kg)

Species Rabbit

Sodium xylenesulphonate

Acute toxicity - oral

Acute toxicity oral (LD₅o

7,200.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation 6.41

(LC₅₀ dust/mist mg/l)

Species Rat

CONTRACT CARPET EXTRACTION CLEANER

ATE inhalation 6.41

(dusts/mists mg/l)

(2-Methoxymethylethoxy)propanol

Acute toxicity - oral

Acute toxicity oral (LD50

5,135.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 20.0

mg/kg)

Species Rabbit

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The product is not expected to be hazardous to the environment.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Acute toxicity - fish LC₅₀, 96 hours: >10000 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 1919 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: >969 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Chemical oxygen demand 2.02

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Partition coefficient : 1.01

12.4. Mobility in soil

Mobility The product is soluble in water.

CONTRACT CARPET EXTRACTION CLEANER

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Empty containers should be rinsed with water then crushed

and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

ADR/RID class -

IMDG class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

CONTRACT CARPET EXTRACTION CLEANER

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Telephone 020 8974 1515

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 06/12/2016

Revision 3

Supersedes date 12/05/2015

Signature Aaron Saunders

Please note: Where abbreviations have been used elsewhere the full text has been written below, for the

classification of the product please refer to section 2.

Hazard statements in full H319 Causes serious eye irritation.

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.