

according to Regulation (EC) No. 1907/2006 (RFACH) with its amendment Regulation (EC) No. 453/2010 Date of issue: 04/11/2016 Revision date: 01/01/2017

Revision date: 01/01/2017

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Product name : Sluice Detergent

: 03390 Product code

Type of product : Technical product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 121

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Machine dishwashing products: Detergent

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Trust Hygiene Services Limited, Principle House, Leamore Lane, Bloxwich, Walsall, West Midlands, WS2 7PS UNITED KINGDOM

0370 3500 966 www.trusthygiene.co.uk email. sales@trusthygiene.co.uk

Emergency telephone number

: Mon to Fri 8.30am to 5.00pm - 0370 3500 988 **Emergency number**

Out of ours (NHS Helpline) - 111

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1A H314

Full text of classification categories and H statements : see section 16

Label elements 2.2.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

: Sodium Hydroxide, Caustic Soda Hazardous ingredients

: H314 - Causes severe skin burns and eye damage Hazard statements (CLP)

Precautionary statements (CLP) : H318 - Causes serious eye damage

: P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash hands thoroughly after handling P280 - Wear eye protection, protective gloves

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P304 – IF INHALED:P340 – Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P310 – Immediately call a POISON CENTER or doctor/physician.

P405 - Store locked up

P411 + P235 - Store at temperatues not exceeding 30 deg C. Keep Cool.

P501 - Dispose of contents/container in accordance with local / regional / national /

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Document generated on 04/11/2016 @ 12:35 Page 1 of 7

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 53/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6 (REACH-no) 01- 2119457892-27	5-10	C; R35	Acute tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Phosphonic Acid	(CAS No) 10294-56-1 EINECS: 233-663-1	<1		Skin Corr. 1A, H314 Acute Tox. 4, H302
Orthophosphoric Acid	(CAS No) 7664-38-2 EINECS: 231-663-2	<1		Skin Corr. 1B, H314
Sodium Perborate Tetrahydrate	(CAS No) 10486-00-7	<1		Eye Dam. 1, H318

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it

before reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get

immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Corrosive vapours

fire

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids.

Incompatible materials : Metals.

Document generated on 04/11/2016 @ 12:35

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium hydroxide, caustic soda (1310-73-2)				
Denmark	Local name	Natriumhydroxid		
Denmark	Grænseværdie (langvarig) (mg/m³)	2 mg/m³		
Denmark	Anmærkninger (DK)	L		
Ireland	Local name	Sodium hydroxide		
Ireland	OEL (15 min ref) (mg/m3)	2 mg/m³		
United Kingdom	Local name	Sodium hydroxide		
United Kingdom	WEL STEL (mg/m³)	2 mg/m³		

8.2. Exposure controls

Materials for protective clothing : Not required for normal conditions of use

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Not required for normal conditions of use

Respiratory protection : Not required for normal conditions of use





SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid
Colour : Light yellow
Odour : Odourless

Odour threshold : No data available

pH : 12

: No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C

Relative density : 1.12

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

Document generated on 04/11/2016 @ 12:35 Page 3 of 7

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 12

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 12

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

sodium hydroxide, caustic soda (1310-73-2)		
LC50 fishes 1	> 35 mg/l	
EC50 other aquatic organisms 1	> 33 mg/l	
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

sodium hydroxide, caustic soda (1310-73-2)		
Log Pow	-3.88	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Document generated @ 12/02/2016 14:08:21 Page 4 of 7

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

14.1. UN number

UN-No. (ADR) : 1824 UN-No. (IMDG) : 1824 UN-No. (IATA) : 1824

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA) : SODIUM HYDROXIDE SOLUTION

Transport document description (ADR) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)
Transport document description (IMDG) : UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C5
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15

Document generated on 04/11/2016 @ 12:35

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

: T7

Portable tank and bulk container instructions

(ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates

80 1824

Tunnel restriction code (ADR) : E EAC code : 2R

- Transport by sea

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) · IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L Special provisions (IATA) : A3 ERG code (IATA) : 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS,

Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

Document generated on 04/11/2016 @ 12:35

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Skin Corr. 1A H314	Skin corrosion/irritation, Category 1A (Causes severe skin burns and eye damage
Acute Tox. 4 H302	Harmful if swallowed	
Eye Dam. 1 H318	Causes serious eye damage	

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Document generated on 04/11/2016 @ 12:35 Page 7 of 7