

Page: 1

Compilation date: 14/08/2014

Revision date: 01/01/2017

**Revision No: 4** 

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: Kitchen Cleaner Sanitiser

Product code: 09500 & 09502

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

## 1.3. Details of the supplier of the safety data sheet

Company name: TRUST HYGIENE SERVICES

LEAMORE LANE BLOXWICH WALSALL

WEST MIDLANDS

WS2 7PS

**Tel:** 0370 3500 988

Fax: 0370 3500 755

Email: Sales@trusthygiene.co.uk

# 1.4. Emergency telephone number

## **Emergency tel:**

Mon - Fri Office 9am-5pm 0370 3500 988 111 NHS - Out of office hours

# **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Acute 1: H400; Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage. Very toxic to aquatic life.

#### 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

Signal words: Danger

Page: 2

Hazard pictograms: GHS05: Corrosion

GHS09: Environmental





Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P282: Wear eye protection. P280: Wear protective gloves.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P337+313: If eye irritation persists: Get medical attention. P332+313: If skin irritation occurs: Get medical attention.

P273: Avoid release to the environment.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

# 3.2. Mixtures

#### Hazardous ingredients:

## ISOTRIDECANOLETHOXYLATE, POLYMER (8 MOLE EO AVERAGE)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	69011-36-5	-	Acute Tox. 4: H302; Eye Dam. 1: H318	0.2 - 2%

#### QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12-C16)ALKYL DIMETHYL CHLORIDES

270-325-2	68424-85-1	-	Met. Corr. 1: H290; Skin Corr. 1B: H314;	0.2 - 2%
			Aquatic Acute 1: H400; Acute Tox. 4:	
			H302	

# DIDECYLDIMETHYLAMMONIUM CHLORIDE

230-525-2 7173-51-5	-	Acute Tox. 4: H302; Skin Corr. 1B: H314	0.2 - 2%	
---------------------	---	---	----------	--

# C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

POLYMER   160875-66-1   -   Eye Dam. 1: H318   0.2 -	POLYMER	160875-66-1	-	Eye Dam. 1: H318	0.2 - 2%
--	---------	-------------	---	------------------	----------

Page: 3

#### ALCOHOLS, C12-C14, ETHOXYLATED

POLYMER	68439-50-9	-	Aquatic Acute 1: H400; Eye Dam. 1:	< 0.2%
			H318	

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Rinse skin

with water. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to

drink immediately. Consult a doctor.

Inhalation: Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and pain.

**Ingestion:** There may be soreness and redness of the mouth and throat.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Water.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side

up to prevent the escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

Page: 4

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a suitable container.

6.4. Reference to other sections

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

**Handling requirements:** Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed.

Suitable packaging: Polyethylene.

7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Not applicable.

Hand protection: Protective gloves. Nitrile gloves.

Eye protection: Safety glasses.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Barely perceptible odour

Evaporation rate: Not applicable.

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Boiling point/range°C: 100 Melting point/range°C: 0

Flammability limits %: lower: Not applicable. upper: Not applicable.

Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable.

Vapour pressure:Not applicable.Relative density:1.003

**pH**: 11 **VOC g/l**: 0

Page: 5

#### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4. Conditions to avoid

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Hazardous ingredients:

## ISOTRIDECANOLETHOXYLATE, POLYMER (8 MOLE EO AVERAGE)

ORAL	RΔT	1 DE0	500-2000	ma/ka
URAL	KAI	LD50	500-2000	mg/kg

## QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12-C16)ALKYL DIMETHYL CHLORIDES

ORAL RAT	LD50	795	mg/kg
----------	------	-----	-------

## **DIDECYLDIMETHYLAMMONIUM CHLORIDE**

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	658	mg/kg

#### C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

ORL RA	AT LD50	>2000	mg/kg
--------	---------	-------	-------

## **ALCOHOLS, C12-C14, ETHOXYLATED**

OR	RL	RAT	LD50	>5000	mg/kg
	<del></del>				

Page: 6

#### Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and pain.

Ingestion: There may be soreness and redness of the mouth and throat.Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## **Section 12: Ecological information**

# 12.1. Toxicity

## **Hazardous ingredients:**

#### ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

FISH	96H LC50	1 10	mg/l	
ГЮП	90H LC30	1-10	1119/1	

## QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12-C16)ALKYL DIMETHYL CHLORIDES

Daphnia magna	48H EC50	.016	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	.026	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	.85	mg/l

## **DIDECYLDIMETHYLAMMONIUM CHLORIDE**

Daphnia magna	48H EC50	0.06	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H LC50	0.12	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	0.97	mg/l

# C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

Scenedesmus	48H EC50	10 - 100	mg/l	
-------------	----------	----------	------	--

## ALCOHOLS, C12-C14, ETHOXYLATED

-	48H EC50	>1-<=10	mg/l
-	48H EC50	>100	mg/l
-	96H LC50	>1-<=10	mg/l
-	96H LC50	>1-<=10	mg/l

# 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

Page: 7

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN3082

## 14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(alkydimethylbenzylammoniumchloride, didecyldimethylammoniumchloride)

# 14.3. Transport hazard class(es)

Transport class: 9

# 14.4. Packing group

Packing group: III

#### 14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

## 14.6. Special precautions for user

Tunnel code: E

Transport category: 3

# **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

#### **Section 16: Other information**

Page: 8

# Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and

shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.