

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date first issue: 14/08/2014 Review date: 06/06/2023 Supersedes version of: 30/11/2020 Version: 5.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Sanitising Detergent 5L

Product code : 03481

Type of product : Biocidal products (e.g. Disinfectants, pest control)

Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Disinfectant

Sanitizing Agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Trust Hygiene Services Ltd, Principle House, Leamore Lane, Bloxwich, Walsall, West Midlands, WS2 7PS

Email: sales@trusthygiene.co.uk

Telephone: 0370 3500 988 (09:00 to 17:00 Mon-Fri)

1.4. Emergency telephone number

(UK) NHS 111 / 999

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05 GHS09

CLP Signal word : Danger

Contains : Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides; Fatty

alcohol ethoxylate; Isotridecanol, ethoxylated; Didecyldimethylammonium Chloride

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, eye protection, protective clothing.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

P273 - Avoid release to the environment.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides	CAS-no: 68424-85-1 Einecs nr: 270-325-2	2.964	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
Isotridecanol, ethoxylated	CAS-no: 69011-36-5 Einecs nr: 931-138-8	1 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Didecyldimethylammonium Chloride (Active substance (Biocide))	CAS-no: 7173-51-5 Einecs nr: 230-525-2 EG annex nr: 612-131-00-6 REACH-no: 01-2119945987- 15	2.964	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Fatty alcohol ethoxylate	CAS-no: 160875-66-1 Einecs nr: 605-233-7 REACH-no: Exempted (polymer)	1 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohols C12-14, ethoxylated (>2-5EO)	CAS-no: 68439-50-9 Einecs nr: 931-014-3	< 1	Eye Dam. 1, H318 Aquatic Acute 1, H400

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures

General advice

Inhalation

Skin contact

Eye contact

06/06/2023 (Revision date)

- : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- : Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if breathing difficulty persists. Immediately call a POISON CENTER/doctor.
- : Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor.

2/11

: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

EN (English)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Acute effects skin : Causes severe burns.
Acute effects eyes : Causes serious eye damage.

Acute effects oral route : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Water spray. Dry powder.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing. Do not enter

fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear recommended personal protective equipment.

6.1.1. For non-emergency personnel

Protective equipment : Avoid any direct contact with the product. Use personal protective equipment as required.

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable

protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Absorb and/or contain spill with inert material, then place in

suitable container.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

This material and its container must be disposed of in a safe way, and as per local

legislation. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Do not mix with other products. Wash hands

and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapour. Do not breathe Mist, Spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool well ventilated place. Avoid high temperatures.

Keep container closed when not in use.

Incompatible products : Chlorine-based disinfectant. Strong bases. Strong acids.

Incompatible materials : Direct sunlight.

Packaging materials : polyethylene.

7.3. Specific end use(s)

No additional information available

06/06/2023 (Revision date) EN (English) 3/11

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Standard EN 166 - Personal eye-protection.

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing

Hand protection:

Wear Protective gloves. Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: Yellow.Physical state/form: Liquid.Odour: Characteristic.Odour threshold: Not available

Melting point/range : 0 °C

Freezing point : Not available Boiling point/Boiling range : 100 °C

Flammability : Non flammable. Explosive limits : Not available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit : Not available Upper explosion limit : Not available : Not available Flash point Autoignition temperature : Not available Decomposition temperature : Not available : 11 - 11.5 : Not available Viscosity, kinematic Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.012 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)		
LD50 oral rat	795 mg/kg	
ATE CLP (oral)	795 mg/kg bodyweight	
Alcohols C12-14, ethoxylated (>2-5EO) (68439-50-9)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)), Guideline: other:	
LD50 dermal rabbit	> 3000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
Fatty alcohol ethoxylate (160875	i-66-1)	
LD50 oral rat	> 300 (300 – 2000) mg/kg	
LD50 dermal rat	> 2000 mg/kg	
ATE CLP (oral)	300 mg/kg bodyweight	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isotridecanol, ethoxylated (69011-36-5)		
LD50 oral rat	300 – 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
ATE CLP (oral)	500 mg/kg bodyweight	
Didecyldimethylammonium Chloride (7173-51-5)		
LD50 oral	329 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	70 mg/l	
ATE CLP (oral)	329 mg/kg bodyweight	
Skin corrosion/irritation	: Causes severe skin burns.	
	pH: 11 – 11.5	

Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)		
рН	6 – 9	
Didecyldimethylammonium Chloride (7173-51-5)		
•		

Serious eye damage/irritation : Causes serious eye damage.

pH: 11 - 11.5

	pri i i i i	
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)		
рН	6 – 9	
Didecyldimethylammonium Chloride (7173-51-5)		
рН	6.5 – 8	
Respiratory or skin sensitisation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Alcohols C12-14, ethoxylated (>2-5EO) (68439-50-9)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Didecyldimethylammonium Chloride (7173-51-5)	

Viscosity, kinematic 11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

≈ 24.5 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

Not rapidly degradable

Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)		
LC50 - Fish [1]	0.85 mg/l	
EC50 - Crustacea [1]	0.016 mg/l	
EC50 72h - Algae [1]	0.02 mg/l	
NOEC chronic crustacea	0.025 mg/l	
Alcohols C12-14, ethoxylated (>2-5EO) (68439-50-9)		
LC50 - Fish [1]	6.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
LC50 - Fish [2]	1.2 mg/l Test organisms (species): Cyprinus carpio	
EC50 - Crustacea [1]	1.2 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	1.4 mg/l Test organisms (species): Daphnia magna	
Fatty alcohol ethoxylate (160875-66-1)		
EC50 - Crustacea [1]	> 10 mg/l	
ErC50 algae	> 10 mg/l	
NOEC chronic fish	> 1 mg/l	
Isotridecanol, ethoxylated (69011-36-5)		
LC50 - Fish [1]	12.76 mg/l Source: EPISUITE v4.1	
LC50 - Fish [2]	1 – 10 mg/l	
EC50 - Crustacea [1]	1 – 1010 mg/l daphnia	
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1	
ErC50 algae	1 – 10 mg/l	
Didecyldimethylammonium Chloride (7173-51-5)		
LC50 - Fish [1]	0.49 mg/l (Brachydanio rerio) (OECD 203)	
LC50 - Fish [2]	≈ 0.49 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	0.03 mg/l (Daphnia magna) (OECD 202)	
EC50 - Crustacea [2]	≈ 0.029 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	0.057 mg/l waterflea	
EC50 - Other aquatic organisms [2]	0.156 mg/l	
EC50 72h - Algae [1]	≈ 0.062 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	0.06 mg/l (Selenastrum capricornutum) (OECD 201)	
LOEC (chronic)	≈ 0.047 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	≈ 0.021 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic crustacea	0.021 mg/l (Daphnia magna) (OECD 211)	
NOEC chronic algae	0.013 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2 Persistence and degradability

12.2. Persistence and degradability		
TRIO 100		
Persistence and degradability	Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)		
Persistence and degradability	Biodegradable.	
Biodegradation	> 90 %	
Fatty alcohol ethoxylate (160875-66-1)		
Persistence and degradability	Biodegradable.	
12.3 Rioaccumulative notential		

12.3. Bioaccumulative potential

TRIO 100		
Bioaccumulative potential	No bioaccumulation.	
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)		
Partition coefficient n-octanol/water (Log Kow)	2.88	
Bioaccumulative potential	No bioaccumulation.	
Fatty alcohol ethoxylate (160875-66-1)		
Bioaccumulative potential	No bioaccumulation.	
Didecyldimethylammonium Chloride (7173-51-5)		
Log Pow	0.4	

12.4. Mobility in soil

Isotridecanol, ethoxylated (69011-36-5)	
Mobility in soil	111.3 Source: EPISUITE v4.1

12.5. Results of PBT and vPvB assessment

TRIO 100

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

Quaternary ammonium compounds, benzyl (C12 -C16) alkyl dimethyl, chlorides (68424-85-1)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Waste / unused products

: Dispose in a safe manner in accordance with local/national regulations. : Avoid release to the environment.

HP Code

: HP8 - "Corrosive:" waste which on application can cause skin corrosion. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3082	UN 3082	UN 3082

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA		
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides; Didecyldimethylammonium Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides; Didecyldimethylammonium Chloride)	Environmentally hazardous substance, liquid, n.o.s. (Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides; Didecyldimethylammonium Chloride)		
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides; Didecyldimethylammonium Chloride), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides; Didecyldimethylammonium Chloride), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides; Didecyldimethylammonium Chloride), 9, III		
14.3. Transport hazard class(es)				
9	9	9		
14.4. Packing group				
III	III	III		
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes		

No supplementary information available 14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR)

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4 (ADR)

Portable tank and bulk container special provisions

(ADR)

: LGBV Tank code (ADR) Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.)

Orange plates

: 90 90 3082

: TP1, TP29

Tunnel code EAC code : •3Z

Transport by sea

: 274, 335, 969 Special provisions (IMDG)

Limited quantities (IMDG) : 5 L

Packing instructions (IMDG) : LP01, P001

06/06/2023 (Revision date) EN (English) 9/11

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Didecyldimethylammonium chloride (7173-51-5)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Corr. 1B	H314	Calculation method	
Eye Dam. 1	H318	Calculation method	
Aquatic Acute 1	H400	Calculation method	
Aquatic Chronic 2	H411	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.