




SAFETY DATA SHEET

Non-Biological Laundry Powder

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

| | | | | | |
|-------------------------------------|--|------------------|----------------------------|----------------|---|
| 1.1 Product Name | 05110 - Non-Biological Laundry Powder | | | | |
| 1.2 Other Names | 05110 - Non-Biological Laundry Powder | | | | |
| SDS No | 0043 | Rev Date: | 15 th June 2023 | Rev No: | 1 |
| 1.3 Application | Laundry Powder | | | | |
| 1.4 Supplier | Trust Hygiene Services Ltd Principle House Leamore Lane Bloxwich Walsall WS2 7PS Tel: 0370 3500 988 Email: sales@trusthygiene.co.uk | | | | |
| 1.5 Emergency Contact Number | 0370 3500 988 Mon-Fri 09:00 to 17:00 NHS 111 (Out of hours) | | | | |

SECTION 2. HAZARD IDENTIFICATION

| | | | | | | |
|-------------------------------------|--|--|--|--|--|--|
| Classification (EC1272/2008) | | | | | | |
| 2.1 Signal Word | Warning | | | | | |
| 2.1 Classification | Physical: Not classified Health: Eye Dam. 1 – H318 Environmental Not classified | | | | | |
| Hazard Statements | H318 – Causes serious eye damage | | | | | |
| Precautionary Statements | P280 – Wear protective gloves/protective clothing/eye protection/face protection P305+351+338 –IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing P310 – Immediately call POISON CENTER or doctor/physician | | | | | |
| 2.2 Labelling |  | | | | | |
| | GHS07 | | | | | |
| 2.3 Other Hazards | EUH 208 – Contains perfume. May produce an allergic reaction. | | | | | |

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixture

| Product | Product Identifier | % | Classification according to Regulation | Classification According to Directive |
|----------------------------------|---------------------------------------|-------|---|---------------------------------------|
| Sodium Carbonate | (CAS No) 497-19-8 (EC) 207-838-8 | 15-20 | Eye Dam. 1: H318; Skin Irrit. 2: H315; Acute Tox. 4: H302 | Xi; R36. |
| Sodium Percarbonate | (CAS No) 15630-89-4 (EC) 239-707-6 | 10-15 | Ox Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318 | Xn; R22. Xi; R36, R38. O; R8 |
| Sodium Metasilicate Pentahydrate | (CAS No) 6834-92-0 (EC) 229-912-9 | <5 | Skin Corr. 1B: H314 STOT SE3, H335 | C; R34, Xi; R37 |
| Sodium Alkyl Benzene Sulphonate | (CAS No) 85117-50-6 (EC) 285-600-2 | <3 | Acute Tox. 4, H302 1 Skin Irrit. 2, H315 Eye Dam. 1, H318 | Xn; R22. Xi; R41, R38. |
| Alcohol ethoxylates | (CAS No) 64425- 86-1 | <3 | Acute Tox. 4, H302, H318 Aquatic Acute 1, H400 | Xn; R22. Xi; R41. N; R50 |
| Alcohol Ethoxylates | (CAS No) 68439-45-2 | <3 | Acute Tox. 4, H302 Eye Dam. 1, H318 | Xn; R22. Xi; R41 |
| Parfum' | N/a | <1 | N/a | Xi; R43 ; R51/53 |

For the full text of the H-statements mentioned in this section, see section 16.

SECTION 4. FIRST-AID MEASURES

4.1 Description of First Aid Measures

| | |
|--------------|---|
| Inhalation | Move exposed person to fresh air. Get medical attention |
| Ingestion | Get medical advice immediately! Do Not Induce Vomiting! Immediately rinse mouth and drink plenty of water |
| Skin Contact | Remove contaminated clothing immediately and wash with soap and water. Get medical attention immediately |
| Eye Contact | Immediately flush with plenty of water for up to 15 minutes. Remove contact lenses if safe and easy to do so, open eyes wide apart. Get medical attention immediately. Continue to rinse. |

4.2 Most Important Symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| General Information | Symptoms described are dependent upon the concentration and exposure time |
| Inhalation | Possible irritation of throat, nose & airway |
| Ingestion | Irritation, possible burns to throat mouth and stomach |
| Skin Contact | Irritation to skin |
| Eye Contact | Possible serious eye damage |

4.3 Indication of immediate medical attention and special treatment needed if necessary

| | |
|--|--|
| | |
|--|--|

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media Use:

The preparation is not readily flammable, use fire-extinguishing media suitable for surrounding materials

5.2 Specific Hazard arising from the chemical

When heated in the case of fire, harmful or toxic gases may be produced

5.3 Special protective actions for fire fighters

Self contained breathing apparatus and full protective clothing must be worn

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

- a. The wearing of suitable protective equipment (including personal protective equipment, see section 8 of this SDS) to prevent any contamination of skin, eyes and personal clothing.
 b. Provide sufficient ventilation.
 c. Follow precautions for safe handling described in section 7 of this SDS.

6.2 Environmental Precautions

Spillages of uncontrolled discharges into watercourses must be Immediately alerted to the Environmental Agency or other appropriate regulatory body, without endangering individuals every effort should be made to prevent entrance to drains.

6.3 Methods and material for containment and clean up

Drains should be Bunded or capped to prevent entrance or damage.
 Ventilate well. Brush or vacuum up taking care not to create excessive dust. Place in suitable containers. Dilute area with copious amounts of water.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid Spilling, skin and eye contact.

Do Not Smoke In Work Area! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke.

7.2 Conditions for safe Storage, including incompatibilities

Keep containers tightly closed. Keep in original containers. Do not allow product to freeze, avoid extreme temperatures

7.3 Specific end use(s)

The identified use for this product is detailed in section 1.2.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

| Name | STD | Long Term | | | | Notes |
|---------------------|-------|-------------|--|---------------|--|------------|
| Sodium Carbonate | DNELs | 10mg/m3 | | | | |
| Sodium Metasilicate | DNELs | 1.55mg/m3 | | | | Inhalation |
| | WEL | TWA – 8 Hrs | | STEL – 15 Min | | |

WEL= Workplace Exposure Limit

8.2 Appropriate engineering controls

Provide adequate ventilation

8.3 Individual protection measures, such as personal protective equipment (PPE)

| | |
|------------------------------|--|
| Respiratory Equipment | If ventilation is in sufficient, suitable respiratory protection must be provided. |
| Hand Protection | PVC gloves are recommended. |
| Eye Protection | Wear approved safety goggles. |
| Other Protection | Wear rubber apron, wear rubber footwear. |

Protective Equipment



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties.

| | | | |
|--------------------------|------------------------------|-------------------|------------------|
| This Product is a | Mixture | | |
| Appearance | Granular Powder | | |
| Colour | White with coloured speckles | | |
| Odour | Pleasant | | |
| Solubility | Soluble in water | | |
| pH value | 9.5-10 | Solubility | Soluble in Water |
| Relative Density | 1.1 | | |

9.2 Other information

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

None known

10.2 Chemical stability

Stable under normal conditions and use.

10.3 Possibility of hazardous reactions

None known

10.4 Conditions to avoid

Avoid excessive heat for prolonged periods of time

10.5 Incompatible materials10.6 Hazardous decomposition products

When heated toxic and corrosive vapours may be formed

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological information

We have not carried out any animal testing; therefore we have no toxicological data specifically for this product. The toxicological data, where provided by the raw material manufacture, can be made available on request.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

We have not carried out any Aquatic testing; therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity data, where provided by the raw material manufacturer for the ingredients with aquatic toxicity can be provided on request

12.2 Persistence and degradability

Degradability: the surfactants used in this preparation are designed for disposal via normal foul water disposal methods

12.3 Bioaccumulative potential

This preparation does not contain any substance that is expected to be bioaccumulating

12.4 Mobility in soil

Not Known

12.5 Results of PBT and vPvB

This preparation does not contain and PBT or vPvB substances

12.6 Other adverse effects

Not Known

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

The preparation is designed for disposal via foul drain after use. Large volumes to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local waste disposal authority. Clean used container and recycle.

SECTION 14. TRANSPORT INFORMATION

This product is not classified as hazardous for transport, as per IATA, ADR & IMDG.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific to the substance or mixture

Guidance notes: Workplace Exposure Limits EH40

EU Legislation: Safety Data sheets prepared in accordance with REACH Commission Regulation (EU) No 453/2010 Packaging & Labelling of dangerous preparations. Ingredients are listed with classification under GHS / CLP – Regulation (EC) No 1272/2008 classification, ADR 2013

15.2 Chemical Safety Assessment

Not applicable this product is a mixture

SECTION 16. OTHER INFORMATION

| | |
|---------------------|---|
| REV. No. REPL. SDS | 1 |
| Generated | 15 th June 2023 |
| SDS No. | 0043 |
| SDS Status | OK |
| Approved | 15 th June 2023 |
| Notes | This information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. |
| | Full Text of H- and EUH-statements: |
| R8 | Contact with combustible material may cause fire. |
| R22 | Harmful if swallowed. |
| R20/21/22 | Harmful by inhalation, in contact with skin and if swallowed. |
| R34 | Causes burns. |
| R36 | Irritating to eyes. |
| R36/38 | Irritating to eyes and skin. |
| R37 | Irritating to respiratory system. |
| R37/38 | Irritating to respiratory system and skin. |
| R38 | Irritating to skin. |
| R41 | Risk of serious damage to eyes. |
| R42 | May cause sensitization by inhalation. |
| R43 | May Cause sensitization by skin contact |
| R50 | Very toxic to aquatic organisms. |
| R51/53 | Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Ox. Sol. 3 | Oxidizing Solids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity- single exposure, Category 3, Respiratory tract irritation. |
| H272 | May intensify fire; oxidizer |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H317 | May cause an allergic reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation |
| H411 | Toxic to aquatic life with long lasting effects |
| END of SDS | |