

Grust

Issue date: 22/02/2024

Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT(Contains:Linalool, [1.alpha.(E),2.

beta.]-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, alpha-Hexylcinnamaldehyde, d-

Limonene)

Other identifiers: A46332

Unique Formula Identifier (UFI):

H7M0-Q09E-F00V-7XGW

1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Air Freshener, For Professional use only.

Uses advised against: Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Company name: Trust Hygiene Services Ltd

Company address: Principle House, Leamore Lane, Bloxwich, Walsall, WS2 7PS

Contact: Sales Admin

E-Mail address: sales@trusthygiene.co.uk

Company phone: 0370 3500 988 (Office Hours 09:00 to 17:00)

1.4 Emergency telephone number

**Emergency phone:** 0370 3500 988 Mon - Fri 09:00 - 17:00

NHS 111 (Out of hours)

#### Section 2. Hazards identification

## 2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Sensitization - Skin Category 1

danger: H317, May cause an allergic skin reaction.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning.

**Hazard statements:** H317, May cause an allergic skin reaction.



Grust

Issue date: 22/02/2024

Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

Supplemental Information:

EUH208, Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-Hexyl-(E)-cinnamaldehyde, 2-Methoxy-4-propylphenol, Benzyl salicylate, Citral, Eucalyptol, Eugenol, Hydroxycitronellal, Linalyl acetate, alpha-Pinene, beta-Caryophyllene, beta-Pinene, dl-Citronellol. May produce an allergic

reaction.

Precautionary statements:

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



**Pictograms:** 

#### 2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 2,4-Dimethyl-3-cyclohexen-1-

carboxaldehyde, 2-Hexyl-(E)-cinnamaldehyde, 2-Methoxy-4-propylphenol, Benzyl salicylate, Citral, Eucalyptol, Eugenol, Hydroxycitronellal, Linalyl acetate, alpha-Pinene, beta-

Caryophyllene, beta-Pinene, dl-Citronellol

Hydrocarbon Concentration %: 5.9000%

### Section 3. Composition / information on ingredients

## 3.2 Mixtures

#### Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
C11-15-Isoalkanes	90622-58-5	292-460-6		1-<5%	Asp. Tox 1;H304,-	
Terpineol	8000-41-7	232-268-1		1-<5%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	oral: ATE = 4300 mg/kg bw
alpha- Hexylcinnamaldehyde	101-86-0, 165184-98-5	202-983-3, 639-566-4		1-<5%	· •	M = 1-oral: ATE = 3100 mg/kg bw
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	M = 1





Version: 2 (12/10/2023)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

		1	1		
Linalool	78-70-6	201-134-4	1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-	oral: ATE = 2790 mg/kg bw
beta-Pinene	127-91-3	204-872-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410	M = 1-M = 1
Benzyl benzoate	120-51-4	204-402-9	1-<5%	Acute Tox. 4-Aquatic Acute 1-Aquatic	oral: ATE = 1160 mg/kg bw
Dihydromyrcenol	18479-58-8	242-362-4	1-<5%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	oral: ATE = 3600 mg/kg bw
beta-Caryophyllene	87-44-5	201-746-1	1-<5%	Skin Sens. 1B-Asp. Tox 1;H304-H317,-	
alpha-Pinene	80-56-8, 7785-26-4	201-291-9	1-<5%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410,-	M = 1-M = 1-oral: ATE = 500 mg/kg bw
dl-Citronellol	106-22-9, 7540-51-4	203-375-0	1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
Carrageenan	2593-40-5, 9000-07-1	232-524-2	1-<5%	Acute Tox. 4;H312,-	
Octahydro-2,3,8,8- tetramethyl-2-	54464-57-2, 68155-66-8, 68155-67-9, 54464-59-4	259-174-3, 915-730-3	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,-	
Linalyl acetate	115-95-7	204-116-4	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-	
Hydroxycitronellal	107-75-5	203-518-7	0.1-<1%	Eye Irrit. 2-Skin Sens. 1B;H317-H319,-	
Benzyl salicylate	118-58-1	204-262-9	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-	
2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde	68039-49-6	268-264-1	0.1-<1%		oral: ATE = 3900 mg/kg bw
3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol	107898-54-4	411-580-3	0.1-<1%	Skin Irrit. 2-Aquatic Acute 1-Aquatic Chronic 1;H315-H410,-	
[1.alpha.(E),2.beta.]-1- (2,6,6-Trimethyl-3- cyclohexen-1-yl)-2- buten-1-one	71048-82-3	275-156-8	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A- Aquatic Acute 1- Aquatic Chronic 1; H302-H315-H317- H410,-	oral: ATE = 1400 mg/kg bw
Eucalyptol	470-82-6	207-431-5	0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-	oral: ATE = 2480 mg/kg bw
2-Methoxy-4- propylphenol	2785-87-7	220-499-0	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B-STOT SE 3;H315-H317- H318-H335,-	oral: ATE = 2600 mg/kg bw





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

Camphor	76-22-2, 21368-68-3	200-945-0	0.1-<1%	STOT SE 2-STO-SE 2_ROUTE-Aquatic	inhalation: ATE = 1.5 mg/l (dusts or mists)- oral: ATE = 1500 mg/kg bw
Citral	5392-40-5	226-394-6	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-	
2-Hexyl-(E)- cinnamaldehyde	165184-98-5		0.1-<1%		M = 1-oral: ATE = 3100 mg/kg bw
Eugenol	97-53-0	202-589-1	0.1-<1%	'	oral: ATE = 2500 mg/kg bw

## **Substances with Community workplace exposure limits:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Citral	5392-40-5	226-394-6		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-	
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2		5-<10%	-3-,-	
Propylene glycol	57-55-6	200-338-0		1-<5%	-;-,-	
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	M = 1

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

### Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.





Version: 2 (12/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

## 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

## 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

## 7.3 Specific end use(s):

Air Freshener, For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

## 8.1 Control parameters

Workplace exposure limits:



Grust

Issue date: 22/02/2024

Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

Ingredient	CAS	EC	Description	Value			
Citral	5392-40-5	226-394-6	Polish NDS mgm3	27 mg/m³			
Citral	3392-40-3	220-394-0	1	54 mg/m³			
			UK WEL Long term ppm	50 ppm			
			UK WEL Long term mgm3	308 mg/m³			
			UK WEL Short term ppm	150 ppm			
			UK WEL Short term mgm3 924 mg/m³  EU Long-term exposure limit (8-hour TWA) (mg/m3) 308 mg/m³				
Dipropylene glycol monomethyl	0.4500.04.0	050 404 0	EU Long-term exposure limit (8-hour TWA) (mg/m3)	308 mg/m³			
ether	34590-94-8	252-104-2	EU Long-term exposure limit (8-hour TWA) (ppm)	50 ppm			
			Polish NDS mgm3	240 mg/m³			
			UK WEL Long term ppm  UK WEL Long term mgm3  308 mg/m³  UK WEL Short term ppm  150 ppm  UK WEL Short term mgm3  EU Long-term exposure limit (8-hour TWA) (mg/m3)  EU Long-term exposure limit (8-hour TWA) (ppm)  Polish NDS mgm3  240 mg/m³  Polish NDSCh mgm3  480 mg/m³  German OEL Long term ppm  50 ppm  UK WEL Long term mgm3  310 mg/m³  UK WEL Long term ppm  474 ppm  UK WEL Long term mgm3  150 mg/m³  German OEL Long term ppm  5 ppm  German OEL Long term ppm  5 ppm  German OEL Long term mgm3  German OEL Long term mgm3  Serman OEL Long term mgm3  German OEL Long term mgm3  German OEL Long term mgm3				
			UK WEL Long term mgm3  UK WEL Short term ppm  150 ppm  UK WEL Short term mgm3  EU Long-term exposure limit (8-hour TWA) (mg/m3)  EU Long-term exposure limit (8-hour TWA) 50 ppm  Polish NDS mgm3  Polish NDSCh mgm3  480 mg/m³  German OEL Long term ppm  50 ppm  German OEL Long term mgm3  310 mg/m³  UK WEL Long term ppm  474 ppm  UK WEL Long term mgm3  German OEL Long term ppm  5 ppm  German OEL Long term ppm  5 ppm  German OEL Long term ppm  5 ppm				
			Polish NDSCh mgm3  UK WEL Long term ppm  50 ppm  UK WEL Long term mgm3  308 mg/m³  UK WEL Short term ppm  150 ppm  UK WEL Short term mgm3  EU Long-term exposure limit (8-hour TWA) (ng/m³)  EU Long-term exposure limit (8-hour TWA) (ppm)  Polish NDS mgm3  240 mg/m³  Polish NDSCh mgm3  480 mg/m³  German OEL Long term ppm  50 ppm  German OEL Long term mgm3  310 mg/m³  UK WEL Long term ppm  474 ppm  UK WEL Long term mgm3  German OEL Long term ppm  5 ppm  German OEL Long term ppm  5 ppm  German OEL Long term ppm  5 ppm  German OEL Long term mgm3  German OEL Long term mgm3  480 mg/m³  28 mg/m³				
Describera abrasil	F7 FF 0	200 220 0	UK WEL Long term ppm	474 ppm			
Propylene glycol	57-55-6	200-338-0	UK WEL Long term mgm3	150 mg/m³			
			German OEL Long term ppm	5 ppm			
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6	German OEL Long term mgm3	28 mg/m³			
			German OEL Short term mgm3	112 mg/m³			

## **8.2 Exposure Controls**

## **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State/Colour: Green Solid

Odour: Herbal

Odour threshold: Not determined Melting point / freezing point: Not determined

Boiling point or initial boiling point and boiling > 100 °C

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: > 100 °C

Auto-ignition temperature:

Decomposition temperature:

PH:

Not determined

value):

Vapour pressure:

Density and/or relative density:

Relative vapour density:

Not determined

Not determined

Not determined

Not determined

**9.2 Other information:** None available

## Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

## Section 11. Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000 Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Based on available data the classification criteria are not met. **Serious eye damage/irritation:** Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Aspiration hazard:

Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl benzoate	120-51-4	204-402-9	1160	Not available	INot available	Not available
ICarrageenan	2593-40-5, 9000-07-1	232-524-2	Not available	1100	INot available	Not available

Refer to Sections 2 and 3 for additional information.

## 11.2 Information on other hazards

Not Applicable





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

### **Section 12. Ecological information**

12.1 Toxicity:Not available12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable **12.7 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	Not classified	-	-	-	-
IMDG	Not classified	-	-	-	-
ADR,RID,ADN	Not classified	-	-	-	-
ICAO TI	Not classified	-	-	-	-

**14.5 Environmental hazards:** Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

### **Section 15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS 1116

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### **Section 16. Other information**





Issue date: 22/02/2024 Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

**Concentration % Limits:** SS 1=50.00% EH C2=94.34% EH C3=9.38%

Total Fractional Values: SS 1=2.00 EH C2=1.06 EH C3=10.66

Key to revisions:

Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients Workplace exposure limits

## Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Bergamot & Sandalwood VEVO BERGAMOT

Version: 2

P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B
L	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.